

Integrating Compliance Assistance into the Office of Air Quality Planning & Standards (OAQPS) Rule Making

Draft 10/19/09

The Technical Subcommittee of the Small Business Ombudsman (SBO)/ Small Business Environmental Assistance Program (SBEAP) National Steering Committee reviews and provides written comments to OAQPS on proposed air rules affecting small businesses. OAQPS has assigned a staff person, Ms. Jan King, Outreach & Information Division, to serve as the liaison to the state SBEAP's Technical Subcommittee. As liaison to the Committee, Ms. King provides updates on rule proposals and coordinates with the various rule writers to provide updates to the programs and relay SBEAP concerns or questions. In some instances, OAQPS rule writers have coordinated with various state programs to visit impacted small business industries to help insure the rule makes sense with industry practices. Ms. Kim Teal visited several state SBEAPs during the development of the NESHAP for Paint Stripping and Miscellaneous Surface Coating.

The Technical Subcommittee holds monthly conference calls during which interpretations of newly finalized rules and their respective outreach strategies are discussed. The OAQPS liaison participates in those calls and may coordinate various office staff to participate in the call and will field any issues or questions from the group and get back to the group on various issues that may arise.

<http://www.smallbiz-enviroweb.org/NSC/Subcommittees/technical.aspx>

The SBEAP/SBO National Conference is an educational opportunity to provide the state SBEAP programs with information about new and proposed rules. The OAQPS liaison participates in the conference and provides an overview of upcoming regulations and coordinates speakers/rulewriters for additional sessions to explain the rule and answer any questions.

Some state SBOs will encourage trade associations and businesses within their state to comment on proposed rules.

The Small Business Environmental Home Page is used by the SBEAPs to collect and catalogue the various fact sheets, notification forms, presentations, photos, videos and other outreach tools used to help educate the businesses affected by the regulation. This coordination helps improve efficiency among the SBEAPs.

<http://www.smallbiz-enviroweb.org/Compliance/newrules.aspx>

Recommendations

Other U.S. EPA programs should use the above process as a model for integrating compliance assistance into rule development and implementation.

In addition to the two-page outreach brochure (see attached example), the U.S. EPA rule writers, along with state SBEAPs should create a multipage document explaining the rule in plain English and in detail. This document should be finalized within 45 days following the final rule date. See the attached NESHAP fact sheet as an example.

October 19, 2009
Page 2


Develop a process that provides quick and consistent interpretations of the rules. These interpretations need to be documented, kept updated, and made easily assessable to the SBEAPs. Having the SBEAPs go to their respective regions for interpretations on a federal rule is not working and leads to inconsistent interpretations across the regions.

Develop a process that opens communication between the U.S. EPA region enforcement contacts for a particular rule and the SBEAP contacts. In the event the enforcement contact receives a complaint or request for assistance, they may be able to refer it to the appropriate SBEAP for follow-up.



Federal Hazardous Air Pollutant Standard: Surface Coating of Miscellaneous Metal and Plastic Parts at Area Sources

Michigan Department of Environmental Quality • Environmental Science & Services Division • 800-662-9278



Picture courtesy of AkzoNobel

This fact sheet is designed to help Michigan facilities that **spray apply coatings on miscellaneous metal and plastic parts** comply with the requirements found in the *NESHAP for Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources (Rule)*. This fact sheet does not contain a review of the entire Rule, but provides an overview of who is subject to the new Rule, the requirements, compliance dates, information about related MIOSHA standards, and where to go for additional help. It is to be used only as a guide and is not a substitute for reading and understanding the final Rule.

OVERVIEW OF THE RULE

One of the goals of the Federal Clean Air Act is to reduce the emission of hazardous air pollutants (HAPs). The reduction of HAPs is achieved through the promulgation of emission standards for categories of sources that emit HAPs. The U.S. Environmental Protection Agency (U.S. EPA) identified 30 HAPs that pose the greatest threat to public health in urban areas. U.S. EPA has identified categories of area sources (small emitters of HAPs) that account for 90% of the releases of the 30 urban HAPs and are now promulgating standards to reduce the emissions of the urban HAPs. These federal standards are referred to as the National Emission Standards for Hazardous Air Pollutants (NESHAP).

The *NESHAP for Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources (Rule)* was proposed in the Federal Register on September 17, 2007 and the final Rule was promulgated on January 9, 2008. The Rule regulates three activities:

- 1) paint stripping using methylene chloride.
- 2) surface coating of motor vehicles and mobile equipment.
- 3) surface coating of miscellaneous metal and/or plastic parts.

The final Rule is found in the Federal Register notice published January 9, 2008 (pages 1760-1768). The Rule can be found at <http://www.epa.gov/fedrgstr/EPA-AIR/2008/January/Day-09/a24718.pdf>. The notice will be published in Title 40, Part 63, Subpart HHHHHH of the Code of Federal Regulation (40 CFR 63). To assist you in cross referencing the Federal Register notice, sections of the Subpart are identified throughout the fact sheet (e.g. §63.11180).

APPLICABILITY

The Rule applies to **area sources**. An area source has the potential to emit less than 10 tons per year of a single hazardous air pollutant (HAP) and less than 25 tons per year of any combination of HAPs. If a facility emits more than these amounts, they are **major sources** and not subject to this Rule. However, they may be subject to (40 CFR 63) Subpart M or P. If you need assistance in determining whether or not your facility is an area source, please contact the Environmental Assistance Program at (800) 662-9278.

Your facility is subject to the Rule if it is an **area source** and you perform **spray application of coatings** containing compounds of chromium, lead, manganese, nickel, or cadmium to any **part** or **product** made of metal or plastic or combinations of metal or plastic. It may sound simple, but understanding the definitions of the bolded terms is critical to determining what is and isn't subject the Rule.

Spray application means coatings are applied using a hand-held device that atomizes the coating. The following applications, however, are not included in the definition of spray application:

- Hand-held devices with a paint cup capacity equal or less than 3 fluid ounces.
- Powder coating.
- Hand held non-refillable aerosol containers.
- Non-atomizing applications such as paint brushes, rollers, marking pens, and flow and dip coatings.
- Thermal spray coatings.

Coating means a material spray-applied for decorative, protective or functional purposes. It does not include: adhesives, sealants, maskants, temporary protective coatings, in-mold coatings that are spray applied in the manufacture of reinforced plastic composite parts, or surface preparation materials, such as solvents used to remove dirt and grease.

Parts and products include motor vehicle parts and accessories for automobile, trucks, recreational vehicles; automobiles and light duty trucks at automobile and light duty assembly plants; boats; sporting and recreational goods; toys; business machines; laboratory and medical equipment; and household and other consumer products.

In addition, the Rule **does not apply** to:

- Spray coating applications that meet the definition of **facility maintenance**. Facility maintenance means the surface coating associated with :
 - Routine repair or renovation of tools, equipment, and machinery.
 - Structures that comprise infrastructure of the facility.
 - Installation of new equipment and structures.
 - Janitorial activities.
 - Stationary and portable structures, pavement or curbs.
- Individuals that surface coat their personal possessions or property either as a hobby or for maintenance.
- Individuals that surface coat others personal possession or property without compensation.
- Installations owned or operated by the Armed Forces of the United States (including the Coast Guard and the National Guard).

-
- Military munitions (ammunition products and components) manufactured by or for the Armed Forces of the United States or equipment used for the purposes of transporting military munitions.
 - Research and laboratory activities as defined in §63.11180.
 - Quality Control activities as defined in §63.11180.

DEFINITIONS OF NEW AND EXISTING SOURCES

The date by which you should be in compliance with the requirements depends on whether your surface coating operation is considered “new” or “existing.”

A **new source** means the initial startup of the surface coating operation at the facility occurred after September 17, 2007.

An **existing source** means that the facility was engaged in surface coating on or before September 7, 2007, or the facility began the installation of the surface coating equipment on or before this date.

GENERAL REQUIREMENTS

The general requirements can be divided into three parts: enclosures, type and cleaning of application equipment, and training. Below is a summary of each.

ENCLOSURES

Spray-applied coatings must be applied in a preparation station or spray booth and meet the following requirements:

- The stations and booths must be fitted with a filter technology that can achieve at least 98% capture of paint overspray. See §63.11173(e)(2)(i) for information on demonstrating filter efficiency.
- The preparation stations and spray booths must be fully enclosed with a full roof and at least three complete walls or side curtains and must be ventilated at negative pressure so that air is drawn into any openings in the station curtains or booth walls. The walls and roof of a booth may have openings to allow parts to pass through. [§63.11173(e)(2)(iii)]

Portable or mobile ventilated enclosures are acceptable alternatives to a full-size preparation station or spray booth for small repairs. The enclosure does need to be ventilated so that the air is drawn into and paint overspray is captured by the enclosure. **IMPORTANT:** The enclosure is subject to the same filter technology required for full-size stations and booths. [§63.11173(e)(2)(iv)]

Compliance Dates

For existing sources, compliance with the enclosure requirements must be achieved by January 10, 2011. For new sources, the compliance date is January 9, 2008. If you are starting up a new source after January 9, 2008, your compliance date is the date on which you start up the surface coating operation.

TYPE AND CLEANING OF APPLICATION EQUIPMENT

All spray-applied coatings must be applied with a high-volume low-pressure (HVLP), electrostatic, air-assisted airless application, or an equivalent technology. See Section 63.1173(e)(3) for the procedure to demonstrate equivalent technology.

Paint spray guns must be cleaned so that an atomized mist or spray of gun cleaning solvent and paint residue is not created outside of a container that collects the used gun cleaning solvent. Acceptable options include hand cleaning of gun parts in a solvent container by flushing solvent through the gun without atomizing the solvent and paint residue, or using a fully enclosed spray gun washer.

Compliance Dates

For existing sources, compliance with the cleaning requirements must be achieved by January 10, 2011. For new sources, the compliance date is January 9, 2008. If you are starting up a new source after January 9, 2008, your compliance date is the date on which you start up the surface coating operation.

TRAINING AND CERTIFICATION

Train and certify all spray equipment operators in the proper application of surface coatings, and the proper setup and maintenance of spray equipment. [§63.11173(f)]

Initial and refresher training must, at a minimum, meet the following requirements:

- A list must be maintained of current personnel (by name and job description) who are required to be trained. [§63.11173(f)(1)]
- Hands-on and classroom instruction that addresses, at a minimum, the following [§63.11173(f)(2)]:
 - Spray gun equipment selection, setup, and operation; including measuring coating viscosity, selecting the proper fluid tip or nozzle, and achieving the proper spray pattern, air pressure and volume, and fluid delivery rate.
 - Spray technique for different types of coatings to improve transfer efficiency and minimize coating usage and overspray, including maintaining the correct spray gun distance and angle to the part, using proper banding and overlap, and reducing lead and lag spraying at the beginning and end of each stroke.
 - Routine spray booth and filter maintenance, including filter selection and installation.
 - Environmental compliance with the requirements of this Rule.
- A description of methods to be used at the completion of initial or refresher training to demonstrate, document, and provide certification of successful completion of training. Initial training will not be required if it can be demonstrated that a spray equipment operator's work experience and/or previous training meets the requirements in the Rule and is within five (5) years of the date the training is required. [§63.11173(f)(3)]
- Spray equipment operators must be re-certified every five (5) years.

Compliance Dates

Existing facilities must train and certify operators no later than 180 days after hiring or by January 10, 2011, whichever is later. New facilities must train and certify operators no later than 180 days after hiring or by July 7, 2008, whichever is later.

INITIAL NOTIFICATION/COMPLIANCE CERTIFICATION

The Rule requires: 1) an initial notification identifying basic information about the facility and 2) certification of compliance status with the general requirements of the Rule. For a form you can use to comply with both notification requirements, go to www.michigan.gov/deqenvassistance. Select "Clean Air Assistance" under "Related Links," and then select "Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources" under "Federal Regulations."

Compliance Dates

If your facility is a new source, you can satisfy both notifications at once. New sources must submit the initial notification and certification of compliance status no later than 180 days after initial startup or July 7, 2008, whichever is later.

Existing sources must submit the initial notification by January 11, 2010 and the notification of compliance status by March 11, 2011. If your facility is in compliance with the general requirements at the time you submit the initial notification, you can satisfy both notifications at the same time. If not, you will need to submit a separate notification of compliance status by March 11, 2011.

RECORDKEEPING REQUIREMENTS

The following records must be maintained:

- Training certifications for each painter with the date of the initial training and the most recent refresher training completed. [§63.11177(a)]
- Documentation of the efficiency of the exhaust filter material. [§63.11177(b)]
- Documentation from the spray gun manufacturer that each spray gun with a cup capacity equal to or greater than 3.0 fluid ounces that does not meet the definition of an HVLP, electrostatic, airless, or air-assisted airless spray gun, has been determined to achieve equivalent transfer efficiency to that of an HVLP spray gun. [§63.11177(c)]
- Copies of your Initial Notification and Notification of Compliance Status, and all submitted copies of the Annual Notification of Changes report. [§63.11177(d)]
- Records of any deviations from the general, notification and reporting requirements of this Rule. Include the date and time period of the deviation and a description of the deviations and actions taken to correct the deviation). [§63.11177(g)]
- Any documents supporting the claims made in your Initial Notification, Notification of Compliance Status, and annual notification of changes report. [§63.11177(h)]

Records (either in a printed or electronic format) must be maintained for at least five years after the date of each record. Copies of records must be kept at the facility conducting the surface coating operations and made available for inspection for at least 2 years after their date and may be kept offsite after that 2 year period.

Compliance Dates

For existing sources, compliance with the recordkeeping requirements must begin by January 10, 2011. For new sources, records must be kept beginning on January 9, 2008. If you are starting up a new source after January 9, 2008, your compliance date is the date on which you start up the surface coating operation.

REPORTING REQUIREMENTS

You must submit an Annual Notification of Changes Report in which information previously submitted in the Initial Notification, Notification of Compliance Status, and/or Annual Notification of Changes Report has changed. Non compliance with the general requirements of the Rule is considered a reportable change. The report must be submitted no later than March 1 of the following calendar year that the changes occurred.

The Annual Notification of Changes Report must contain information listed in §63.11176 (a)(1) and (2) of Subpart HHHHHH. The report shall be sent to:

Compliance Tracker (AE-17J)
77 West Jackson Blvd.
Chicago, IL 60604

SUMMARY OF COMPLIANCE DATES

REQUIREMENTS	SOURCE TYPE	
	NEW	EXISTING
General - Enclosures	January 9, 2008, or 180 days after startup, whichever is later	January 10, 2011
General – Type and Cleaning of Spray Guns	January 9, 2008, or 180 days after startup, whichever is later	January 10, 2011
General – Training	No later than 180 days after hiring or by July 7, 2008, whichever is later.	No later than 180 days after hiring or by January 10, 2011, whichever is later.
Initial Notification	July 7, 2008, or 180 days after initial startup, whichever is later.	January 11, 2010
Compliance Certification	July 7, 2008, or 180 days after initial startup, whichever is later.	March 11, 2011
Recordkeeping	January 9, 2008, or 180 days after startup, whichever is later	January 10, 2011
Reporting	March 1 of the following calendar year that the changes occurred.	March 1 of the following calendar year that the changes occurred.

ENFORCEMENT OF THE RULE

The state of Michigan does not have delegation of the Rule. The U.S. EPA will be the agency enforcing the Rule and accepting the petitions, notifications and reports.

MIOSHA STANDARDS

The Michigan Occupational Safety and Health Act (MIOSHA) established commissions to set standards to protect the health and safety of Michigan's employees. The MIOSHA standards that may apply to the surface coating of metal and plastic parts are as follows.

MIOSHA Part 76, Spray Finishing Using Flammable and Combustible Liquids
MIOSHA Part 301, Air Contaminants
MIOSHA Part 309, Cadmium
MIOSHA Part 310, Lead
MIOSHA Part 315, Chromium VI
MIOSHA Part 430, Hazard Communication
MIOSHA Part 451, Respiratory Protection
MIOSHA Part 75, Flammable and Combustible Liquids

The standards are located at www.michigan.gov/miosha. Select "Standards & Legislation," and then "General Industry." For more information on the MIOSHA standards, contact the MIOSHA Consultation Education and Training Division (CETD) at (517) 322-1809.

LOCAL CODES

Contact your local municipality before constructing new preparation stations or spray paint booths. The installation of new stations and booths will need to be in compliance with Michigan's building, electrical, and mechanical codes that are enforced by local building departments. In addition, the subsequent operation and maintenance of the stations and booths need to comply with either a national fire prevention code adopted by the local municipality or the State Rules for Fire Prevention that are promulgated under the authority of the Michigan Fire Prevention Code in the event the local municipality doesn't adopt a code.

Where to Go For Help

Environmental Assistance Program (EAP):

The DEQ's Environmental Assistance Program offers free assistance to small businesses with environmental questions. Call us at (800) 662-9278 from 8:00 am to 4:00 pm Monday through Friday.

Michigan Department of Environmental Quality
Environmental Assistance Program
P.O. Box 30457
Lansing, MI 48909-7957

The EAP can help companies understand and comply with federal and state regulations that protect our air, water, and land. This document, along with fact sheets describing this Rule's requirements pertaining to surface coating of motor vehicles and mobile equipment and paint stripping are located at www.michigan.gov/deqenvassistance. Select "Clean Air Assistance" under "Related Links," and then select "Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources" under "Federal Regulations."

What Is The Compliance Date?

- Existing Sources: January 10, 2011.
- New Sources: Upon startup after January 9, 2008.
- An affected source is a new source if you commenced construction of the source after September 17, 2007 by installing new paint stripping or surface coating equipment at a source not actively engaged in paint stripping and/or miscellaneous surface coating prior to September 17, 2007.
- An affected source is an existing source if it is not a new source or a reconstructed source (An affected source is reconstructed if it meets the definition of reconstruction in section 63.2.).

What are the Permitting Requirements?

- Affected facilities are exempt from Title V permit requirements provided they are not required to obtain a permit for another reason.

What Reporting\Recordkeeping is Required?

Reporting:

- Initial Notification (informs EPA that the facility is subject to the standards and when the source will be in compliance).
 - New Sources: July 7, 2008 or 180 days after startup
 - Existing Sources: January 11, 2010
- Notification of Compliance (certifies that the source is in compliance with the applicable requirements).
 - New Sources: As part of the Initial Notification
 - Existing Sources: March 11, 2011
- Annual notification of changes report—required each calendar year any reportable changes occur.

Recordkeeping (keep these records on file)

- Records to include copies of Notifications submitted to EPA.
- Painter training certifications.
- Spray booth filter efficiency documentation.
- Spray gun transfer efficiency.
- MeCl content information such as MSDS.
- Annual usage of MeCl for paint stripping, and written MeCl minimization plan if annual usage > 1 ton per year.
- Deviation and corrective action documentation.

Records to be maintained in a form suitable and readily available for expeditious review.

You can also contact your Regional EPA air toxics office at the following numbers:

Address	States	Website/ Phone Number
Region 1 1 Congress Street Suite 1100 Boston, MA 02114-2023	CT, MA, ME, NH, RI, VT	www.epa.gov/region1 (888)372-7341 (617) 918-1650
Region 2 290 Broadway New York, NY 10007-1866	NJ, NY, PR, VI	www.epa.gov/region2 (212) 637-4023
Region 3 1650 Arch Street Philadelphia, PA 19103-2029	DE, MD, PA, VA, WV, DC	www.epa.gov/region3 (215) 814-2068
Region 4 Atlanta Federal Center 61 Forsyth Street, SW Atlanta, GA 30303-8960	FL, NC, SC, KY TN, GA, AL, MS	www.epa.gov/region4 (404) 562-9131 (800) 241-1754
Region 5 77 West Jackson Blvd. Chicago, IL 60604-3507	IL, IN, MI, WI, MN, OH	www.epa.gov/region5 (312) 886-6812 (312) 353-6684 (312) 886-6798
Region 6 1445 Ross Avenue Suite 1200 Dallas, TX 75202-2733	AR, LA, NM, OK, TX	www.epa.gov/region6 (800) 887-6063* (214) 665-7250 (214) 665-7224
Region 7 901 North Fifth Street Kansas City, KS 66101	IA, KS, MO, NE	www.epa.gov/region7 (800) 223-0425 (913)-551-7003
Region 8 1595 Wynkoop St. Denver, CO 80202-1129	CO, MT, ND, SD, UT, WY	www.epa.gov/region8 (800) 227-8917* (303) 312-6460
Region 9 75 Hawthorne Street San Francisco, CA 94105	CA, AZ, HI, NV, GU, AS, MP	www.epa.gov/region9 (415) 947-8715
Region 10 1200 6 th Ave. Suite 900, AWT-107 Seattle, WA 98101	AK, ID WA, OR	www.epa.gov/region10 (800) 424-4372* (206) 553-6220

* For sources within the region only.

For More Information

Copies of the rule and other materials are located at:
<http://www.epa.gov/ttn/atw/area/arearules.html>

For more information on state requirements, please contact your state representatives at:
http://www.epa.gov/ttn/atw/area/table_state_contacts.doc or,
<http://www.4cleanair.org/contactUsaLevel.asp>

United States
Environmental Protection
Agency

April 2008

www.epa.gov/ttn/atw/eparules.html

Office of Air Quality Planning & Standards (EI 43-02)



Summary of Regulations Controlling Air Emissions from

PAINT STRIPPING AND MISCELLANEOUS SURFACE COATING OPERATIONS



NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS NESHAP (SUBPART HHHHHH)

FINAL RULE



PAINT STRIPPING AND MISCELLANEOUS SURFACE COATING OPERATIONS (SUBPART HHHHHH)

What Is an Area Source?

- Any source that is not a major source. (A major source is a facility that emits, or has the potential to emit in the absence of controls, at least 10 tons per year (TPY) of individual hazardous air pollutants (HAP) or 25 TPY of combined HAP.)

Who Does This Rule Apply To?

- Area sources that engage in any of the following:
 - Paint stripping operations that use methylene chloride (MeCl)-containing paint stripping formulations;
 - Spray application of coatings to motor vehicles and mobile equipment;
 - Spray application of coatings to a plastic and/or metal substrate where the coatings contain compounds of chromium (Cr), lead (Pb), manganese (Mn), nickel (Ni), or cadmium (Cd).

This rule does not apply to:

- Surface coating or paint stripping performed on site at installations owned or operated by the Armed Forces of the United States.
- Surface coating or paint stripping of military munitions or equipment directly and exclusively used for the purposes of transporting military munitions.
- Surface coating or paint stripping performed by individuals on their personal vehicles, property or possessions, either as a hobby or for maintenance of their personal vehicles, possessions, or property provided they coat no more than two vehicles per year.
- Surface coating or paint stripping that meets the definition of “research and laboratory activities.”
- Surface coating or paint stripping that meets the definition of “quality control activities.”

- Surface coating or paint stripping that meets the definition of “quality control activities.”
- Surface coating or paint stripping activities that are covered under another area source NESHAP

Motor vehicle or mobile equipment surface coating operations may petition the Administrator for an exemption from this subpart if you can demonstrate, to the satisfaction of the Administrator, that you spray apply no coatings that contain compounds of chromium (Cr), lead (Pb), manganese (Mn), nickel (Ni), or cadmium (Cd).

What Am I Required To Do?

- Paint Stripping Operations—implement management practices that minimize emissions of MeCl.
 - Evaluate the need for paint stripping (e.g., is it possible to re-coat without stripping?).
 - Evaluate each application to identify potential alternative stripping methods.
 - Reduce exposure of strippers to air.
 - Optimize application conditions.
 - Practice proper storage and disposal.
- For each paint stripping operation with > 1 ton MeCl annual usage, develop and implement a written MeCl minimization plan. No implementation plan is needed if usage is < 1 ton MeCl; however, sources must still utilize work practices to minimize emissions of MeCl. Consult the MSDS sheet to identify the amount of MeCl contained in the paint stripper, but note that annual usage should not exceed 181 gallons of MeCl.
- Maintain records of annual usage of paint strippers containing MeCl.
- Motor Vehicle/Mobile Equipment/Miscellaneous Surface Coating Operations.
 - Train/certify all painters on spray gun equipment selection, spray techniques, maintenance, and environmental compliance (consult 73 FR 1738, pg. 1762, section 63.11173(f)(2)(i)-(iv)).
 - Install/operate filter technology on all spray booths/stations/enclosures to achieve at least 98% capture efficiency.

- Spray booths/stations used to refinish complete motor vehicles or mobile equipment must be fully enclosed and ventilated at negative pressure or up to 0.05 inches water gauge positive pressure for booths that have seals on all doors and other openings and an automatic pressure balancing system.
- Spray booths/stations used to coat miscellaneous parts or products or vehicle subassemblies must have a full roof, at least three complete walls or side curtains, and ventilated so that air is drawn into the booth.
- Spray-applied coatings must be applied with a high volume, low pressure (HVLP) spray gun, electrostatic application, airless or air-assisted airless spray gun, or an equivalent technology.
- Paint spray gun cleaning must be done so that an atomized mist or spray of the cleaning solvent is not created outside a container that collects used gun cleaning solvent.
- Train and certify all personnel who spray apply surface coatings no later than 180 days after hiring or by July 7, 2008 (new sources) or by January 10, 2011 (existing sources).

What are the Impacts?

- Most paint stripping facilities already comply with the rule requirements. Estimate 1,000 facilities will need to take action to comply.
 - Reduce 1,000 tons MeCl annually,
 - Capital costs = \$1.5 million.
 - Annual benefit = \$0.9 million.
- Most surface coating facilities already comply with the rule requirements. Estimate < 25% of existing facilities will need to take some action to comply.
 - Reduce 6,900 tons of HAP annually including 11 tons of metal HAP.
 - Capital costs = \$20 million; however, initial cost to be offset and recovered over time by cost savings as a result of more efficient use of labor and materials.